

Description

The Pli-Dek Seam Paper is a 1½" wide, water resistant, reinforced, asphalt-laminated Kraft paper material that is used to cover plywood joints.

Uses

The Pli-Dek Seam Paper is used to cover plywood joints or seams.

Advantages

- High water vapor resistance
- Water resistance is 24 hours
- Reinforced with fiberglass scrim
- Resists tearing

Package Size

1½" by 300 linear feet roll.

Available Color

Brown in color

Coverage

Coverage rate will vary based on job conditions.

Application

All plywood seams shall be staggered, and gapped 3.2mm (1/8"). All seams shall be covered with 1½" wide Pli-Dek Seam Paper tacked in place. NOTE: If plywood is butted tightly, the seams shall be saw cut to provide a 3.2mm (1/8") gap between sheets, except tongue & groove. Ensure that the tongue and groove section of the plywood is installed to allow for expansion.

Technical Information

Hazard warnings are not required for these products under osha hazard communication standard (29 CFR 1910.1200):

Natural Kraft Paper / Unsaturated Kraft Paper
RATAN Asphalt Laminated Kraft – Grade B

High melt point asphalt laminated between 2 sheets of BS 30 Kraft paper. Asphalt is low sulphur & virtually odor free.

Complies with Federal Specification UU-B-790A, Type I, Grade A, B & C, Style 4.
Complies with UBC Standard 14-1

Storage

Protect from freezing. Do not store container in direct sunlight.

Limitations

Not recommended for below grade. Do not apply to frost covered surfaces, or below 13°C (55°F). Do not apply if rain is expected in 24 hours.

Clean-Up

Wash hands with warm water and soap.

Disclaimer:

This information is furnished without warranty, representation, inducement or license of any kind, except sources believed by Pli-Dek Systems, Inc. to be accurate. Pli-Dek Systems, Inc. does not assume any legal responsibility for use or reliance on the information supplied here. to be accurate. Pli-Dek Systems, Inc. does not assume any legal responsibility for use or reliance on the information supplied here.

