

PLI-DEK® FLORIDA PRODUCT APPROVAL FL# 15027

THE PLI-DEK & CON-DEK WATERPROOF DECK COATING SYSTEMS HAVE BEEN ISSUED A 2024 FLORIDA PRODUCT APPROVAL

SUMMARY OF PRODUCTS

FL# **DESCRIPTION MODEL, NUMBER OR NAME**

15027.1 Con-Dek

Limits of Use

Approved for use in HVHZ: No Approved for use outside HVHZ: Yes

Impact Resistant: N/A Design Pressure: N/A

Other: This approval is intended for those counties that are not classified as High Velocity Hurricane Zones (HVHZ). This approval is based on ICC-ES report ESR-2097 and FBC Supplement and is subject to the limitations published in that report. Refernce TB-110 for Florida use & TB-111 for field testing.

> 15027.2 Pli-Dek

Limits of Use

Approved for use in HVHZ: No Approved for use outside HVHZ: Yes

Impact Resistant: N/A Design Pressure: N/A

Other: This approval is intended for those counties that are not classified as High Velocity Hurricane Zones (HVHZ). This approval is based on ICC-ES report ESR-2097 and FBC Supplement and is subject to the limitations published in that report. Reference TB-110 for Florida use.

The Con-Dek system is a fiberglass fabric reinforced cementitious walking deck and roof covering system that consists of fiberglass mat, a liquid polymer resin, polymer-modified cementitious coats, and sealer coats applied directly to a concrete substrate.

Installation Instructions

FL15027 R6 II Application Instructions CD120.pdf

FL15027 R6 II TB-110.pdf FL15027 R6 II TB-111.pdf

Verified By: ICC Evaluation Service, LLC

Created by Independent Third Party:

Evaluation Reports

FL15027 R6 AE ESR-2097.pdf

The Pli-Dek system is a walking deck and roof covering system that consists of a plywood substrate covered with expanded metal lath; a polymermodified cementitious base coat; an optional reinforcing fabric layer; and intermediate and sealer

Installation Instructions

FL15027 R6 II Application Instructions PD120.pdf

FL15027 R6 II TB-110.pdf

Verified By: ICC Evaluation Service, LLC

Created by Independent Third Party:

Evaluation Reports

FL15027 R6 AE ESR-2097.pdf

 $Visit\ Florida\ Building\ website\ \underline{https://www.floridabuilding.org/pr/pr_app_lst.aspx}\ to\ verify\ approval\ status$







