


VEGETATION
GROWING MEDIUM
PD DRAIN BOARD
ROOT BARRIER
EXTRUDED POLYSTERINE
INSULATION (OPTIONAL)
PROTECTION BOARD
SEPARATION SHEET
HOT RUBBERIZED ASPHALT
(HR) WATERPROOFING
MEMBRANE BY
PLI-DEK SYSTEMS, INC.
PD-2014 REEMAY FABRIC
ASPHALT PRIMER

- 1. VEGETATION
- 2. GROWING MEDIUM
- 3. PD DRAIN BOARD
- 4. ROOT BARRIER
- 5. EXTRUDED POLYSTYRENE INSULATION (OPTIONAL)
- 6. PROTECTION BOARD
- 7. SEPARATION SHEET
- 8. HOT RUBBERIZED ASPHALT (HR) WATERPROOFING MEMBRANE BY PLI-DEK SYSTEMS, INC.
- 9. PD-2014 REEMAY FABRIC
- 10. STRUCTURAL CONCRETE
- 11. ASPHALT PRIMER



DETAIL: GREEN ROOF

SCALE: N.T.S.



41610 Date St., Suite 104 * Murrieta, CA. 92562 Phone: 800.364.0287 * Fax: 951.834.9555 WWW.PLIDEK.COM These waterproofing procedures are not to be used for permit and should be reviewed by the project architect. The waterproofing procedures are not complete plans or specifications and a professional design professional design professional should be contacted prior to performing major waterproofing and repairs.

System: Detail: Hot Rubberized Asphalt (HR) by Pli-Dek Systems, Inc.

GREEN ROOF

Job:		Drawing Number:
Date:	05-15-2013	HR-14
Dwn:	H.K	11117-17