



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

LISTING No.:	8110-2327:0500
CATEGORY:	8110 - DECKING FOR WILDLAND URBAN INTERFACE (W.U.I)
LISTEE:	ICP Construction 150 Dascomb Rd, Andover, MA, 01810 Contact: Malek, Adrienne Email: amalek@icpgroup.com
DESIGN:	Pli-Dek ESR-2097 Walking Deck System. Product consists of a polymer modified cementitious coating covering 2.5 lbs/sq. yd. of galvanized metal lath over a minimum 5/8" plywood substrate. Refer to manufacturer's installation instructions and product data sheets.
RATING:	Tested in accordance with ASTM E84 with an additional 20-minute period Class A Flame Spread Index: 0 Smoke Developed Index: 5 Max Flame Front: 8.5 feet
INSTALLATION:	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee's name, model number, rating, and SFM label.
APPROVAL:	Listed as decking material for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
NOTES:	

12-02-20 VWW



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

Date Issued: 05/26/2022

Listing Expires: 06/30/2023

Authorized By: **Victor Wong**, Program Coordinator
Fire Engineering & Investigations Division